



## Residential Steel Door Range

Our High Security Steel Residential Doors allow you to keep your home aesthetic whilst adding extra security. This range is available in 3 different styles.



# Keeping your home stylish & secure

Our high security front doors offer a range of personalisation options including a choice of glazing, door furniture and a variety of colours to tailor your front door to match your home. This door is a great alternative to a upvc or composite door.



VIEW THE  
FULL RANGE

Built to be not only stylish but secure, our security front doors feature our trademark multi-point locking system, thermal & acoustic insulation, toughened laminated double glazing (if applicable) and include a high security UAP 1\* kitemark thumb turn cylinder as standard.

## Available Styles:



MS01



MS05



MS06



MS09



MS10



MS11



MS12



MS13



MS14



MS15



MS16



MS17



MS18



MS19



MS20



MS21



MS22



MS24



MS26



MS27

DOOR SIZE (MM)	695-1195x2020
INSULATION	Mineral Wool
INT. REINFORCING	3 x Reinforced Bars
DOOR & FRAME SEAL	FRAME - Nylon Self Adhesive V-seal DOOR - Flat Compression Self Adhesive Seal
HINGES	4 x S/Steel Ball Bearing Hinges
ACOUSTIC RATING	35dB
THERMAL VALUE	2.2W/m2.k

## Glazing Types



Cotswold Glass



Satin Glass




# Traditional style with modern security



VIEW THE  
FULL RANGE

Our 6 panel security front doors feature a traditional design with a variety of style and customisation options such as colour, glazing type, ironmongery, and more, allowing these doors to be tailored to suit your home aesthetic.

Indistinguishable from other door types such as uPVC and Composite, these doors feature our trademark multi-point locking system paired with a high security UAP 1\* kitemark thumb turn cylinder as standard, thermal & acoustic insulation and toughened laminated double glazing (if applicable).



## Available Styles:



TS01



TS02



TS03



TS04



TS05



TS06



TS07



TS08

DOOR SIZE (MM)	695-1195x2020
INSULATION	Mineral Wool
INT. REINFORCING	3 x Reinforced Bars
DOOR & FRAME SEAL	FRAME - Nylon Self Adhesive V-seal DOOR - Flat Compression Self Adhesive Seal
HINGES	4 x S/Steel Ball Bearing Hinges
ACOUSTIC RATING	35dB
THERMAL VALUE	2.2W/m2.k

## Glazing Types



Cotswold Glass



Satin Glass



# Secure door with elegant farmhouse style

Our cottage style front doors have been designed with simplicity & style in mind, with a sleek farmhouse detailing, these doors with elegance with a variety of personalisation options allowing you to tailor your door to match your home.



Perfectly designed to suit your rustic home aesthetic whilst also keeping your home secure with our HOOPLY™ multi-point locking system and high security UAP 1\* kitemark thumb turn cylinder as standard. These doors even include thermal & acoustic insulation and toughened laminated double glazing (if applicable).



VIEW THE FULL RANGE

## Available Styles:



CS01



CS05



CS09



CS10



CS11



CS12



CS13



CS14



CS15



CS16



CS17



CS18



CS19



CS20



CS21



CS22



CS24



CS26

DOOR SIZE (MM)	695-1195x2020
INSULATION	Mineral Wool
INT. REINFORCING	3 x Reinforced Bars
DOOR & FRAME SEAL	FRAME - Nylon Self Adhesive V-seal DOOR - Flat Compression Self Adhesive Seal
HINGES	4 x S/Steel Ball Bearing Hinges
ACOUSTIC RATING	35dB
THERMAL VALUE	2.2W/m2.k

## Glazing Types



Cotswold Glass



Satin Glass



# Additional security & peace of mind

Our High Security Back Doors are perfect for consumers who want additional security and peace of mind while maintaining their home’s exterior aesthetic. These doors can be supplied in either a flush or 6-panel Georgian style.

These doors feature our 19-point locking system so you can be assured your property is well protected, not only can they be used on back doors you could also upgrade your outbuilding or shed.

To further enhance the security of your door, you can choose increased security stainless steel handles and upgraded 3\* kitemark cylinder.



## Available Styles:

FLUSH



PANELLED



VIEW THE FULL RANGE



DOOR SIZE (MM)	845-995x2020
DOOR DEPTH	50mm Thickness
MATERIAL & GAUGE	1.0mm Galvanised Steel
INT. REINFORCING	3 x Reinforced Bars
DOOR & FRAME SEAL	<b>FRAME</b> - Nylon Self Adhesive V-seal <b>DOOR</b> - Flat Compression Self Adhesive Seal
FRAME DEPTH	90mm Depth
MATERIAL & GAUGE	1.8mm Galvanised Steel
HINGES	4 x S/Steel Ball Bearing Hinges
ACOUSTIC RATING	35dB
THERMAL VALUE	2.2W/m2.k



# Personalise your door to suit your home

## Colour Options

The front of your home is the first impression on passers-by and guests, so make a statement. Our front doors come standard in white, but we also offer a variety of colour options to let you personalise your door to match your home.

You have the option of keeping the frame white or colour matching it to your door. Choose a strong colour from our palette to give your home a boost in curb appeal.











Depending on your home's aesthetic and the type of door style you've chosen, we have 12 colours to choose from. If you prefer a certain colour for your door, we also offer a custom RAL/BS Colour option.

			
Pastel Blue RAL 5024	Peacock Blue BS 381 C 103	Oxford Blue BS 381 105	Blue Lilac RAL 4005
			
Chartwell Green BS 14 C 35	Juniper Green BS 12 B 29	Canary Yellow BS 16 C 33	Flame Red RAL 3000
			
Wine Red RAL 3005	Beige RAL 1001	Van Dyke Brown BS 08 B 29	Squirrel Grey RAL 7000
			
Anthracite Grey RAL 7016	Jet Black RAL 9005		

## Ironmongery Options

All of our ironmongery is supplied stainless steel as standard. We have a range of personalisation options to best suit your property. Our front doors come with a small range of uPVC style handle options and they are furnished with a UAP 1\* kitemark thumb turn cylinder as standard.

However we do offer the optional upgrade to a UAP 3\* security euro cylinder with anti-pick, anti-bump, anti-snap, anti-drill, and anti-pull characteristics is also available, providing further protection.

				
Standard Handle #2068	uPVC Handle #2018	Door Knocker	Door Viewer	Knocker Viewer
				
Letterplate	Rain Deflector	Door Numerals	Door Cill	3* Security Cylinder Upgrade



# Improve your garage security

Our garage personnel door is available in a range of duties. Finished in white as standard with the option to customise your door to suit the surroundings of your home including powdercoating, glazing, ironmongery and more.

Our range features our trademark multi-point locking mechanism, internal reinforcements and up to 4 stainless steel hinges.

With the security getting better with every duty up-grade to ensure all your belongings are safe and secure.



VIEW THE FULL RANGE



Budget Steel Door



Security Steel Door



High Security Steel Door

DOOR SIZE (MM)	845-995x2020		695-1195x2020 & 910x2065	845-995x2020 & 910x2065
DOOR DEPTH	45mm Thickness		50mm Thickness	70mm Thickness
MATERIAL & GAUGE	0.8mm Galvanised Steel		1.0mm Galvanised Steel	1.2mm Galvanised Steel
INT. REINFORCING	None		3 x Reinforced Bars	4 x Reinforced Bars
DOOR & FRAME SEAL	FRAME - Nylon Self Adhesive V-seal      DOOR - Flat Compression Self Adhesive Seal			
FRAME DEPTH	90mm Depth			110mm Depth
MATERIAL & GAUGE	1.4mm Galvanised Steel	1.8mm Galvanised Steel		2.0mm Galvanised Steel
HINGES	3 x S/Steel Ball Bearing Hinges	4 x S/Steel Ball Bearing Hinges		4 x S/Steel Hinges
ACOUSTIC RATING	30dB	35dB		38dB
THERMAL VALUE	2.88W/m2.k	2.2W/m2.k		1.99W/m2.k



# Add an extra level of security to your garage


Our security side hinged garage doors are a great way to add an extra level of security to a garage, keeping your car and tools safely stored behind our thickest steel door leaf of 70mm galvanised steel with an acoustic value of 38dB.

These doors feature a genuine HOOPLY™ handle & sashlocks and 8 internal reinforcements.

With security in mind, these doors also include our industry leading multi point locking system with additional concealed shoot bolts to secure the passive leaf in place.



VIEW THE  
FULL RANGE



High Security Steel Double Door

DOOR SIZE	DOUBLE - 1495-2195x2020 845-995x2020	
DOOR DEPTH	70mm Thickness	
MATERIAL & GAUGE	1.2mm Galvanised Steel	
INT. REINFORCING	8 x Reinforced Bars	
DOOR & FRAME SEAL	FRAME - Nylon Self Adhesive V-seal	DOOR - Flat Compression Self Adhesive Seal
FRAME DEPTH	110mm Depth	
MATERIAL & GAUGE	2.0mm Galvanised Steel	
HINGES	8 x S/Steel Hinges	
ACOUSTIC RATING	38dB	
THERMAL VALUE	1.99W/m2.k	

# Handles

We are the UK's only approved supplier of HOOPLY™ handles, which are compatible with our range of steel security doors, but also commonly used on container doors.

From standard lever handles, to stainless steel security models, HOOPLY™ handles provide unparalleled security at unbeatable value.

We also have blanking plate options that are made in-house which are a great alternative if you only require an interior handle.

The Borg Code Lock option is ideal when you need to control and restrict access to certain individuals.




VIEW THE  
FULL RANGE




## Handle Options




Standard Handle  
#5586




Stainless Steel Handle  
#918901



Stainless Steel Handle  
#918902




UPVC Style Handle  
#2018



UPVC Style Handle  
#2068



Door Knob  
#2066X



Code Lock



External Blanking Plate\*



External Blanking Plate with key  
access\*

\* Blanking plates are supplied white as standard, or if your door is being powder coated it can be coloured to match



# Doors that can fit any aperture

If one of our standard sizes doesn't quite suit your requirements, we have a variety of extension panel options to help fit your opening, ensuring a easy installation process and a seamless completed look to your property.

Whether your opening requires a 5mm extension or a 1000mm extension, our frame extensions can ensure the door fits perfectly to your property while still looking stylish and modern.

Over head and expanding side panels are available in a range of standard sizes from stock, and are powder coated to match when purchased with a door.


## Over Head Panel



**Sizes Available: +25-300mm or custom size**

Our over head panels are a far stronger alternative to using timber or another form of packing. Manufactured from 1.5mm steel and powder coated white as standard or to match the colour of your door.

## Expanding Side Panel



**Sizes Available: +5-40mm , +50-85mm**

Our expanding side panels use wind out lugs that screw into pre-threaded holes at the fixing plate positions. These panels can ensure the door is fitted without any required form of packing.

## Frame Extensions

Our frame extensions can extend your door width and height up to an additional 150-1000mm. As these are made to order it can take up to 10 working days from order date plus delivery time.



### Solid Frame Extension

Our solid frame extensions are a great way to give your property a flush finish. These panels are fully insulated with Rockwool infill & are available in stock white or powder coated to match the colour of your frame.

Height: 150-1000mm

Width: 150-1000mm



### Glazed Frame Extension

Our glazed frame extensions are fully insulated, can be powder coated to match your door frame & has laminated toughened double glazing allowing additional natural light to pass through whilst still keeping your property secure.

Height: 150-1000mm

Width: 150-1000mm

Glass Type: Clear, Satin (Opaque) & Cotswold Effect



### Louvred Frame Extension

Our louvred frame extensions are designed for applications that require constant airflow such as bin rooms, plant rooms & industrial units. These are supplied in stock white with the option to powder coat to match your door.


Height: 150-1000mm

Width: 150-1000mm

Airflow: Up to 50%

# Upgrade your doors to the best security

We offer security upgrades on our doors to allow you to increase security, with a budget in mind. Our security upgrade options include some different components at the main lock and handle of the door.



UAP Kinetica  
3\* Kitemarked Cylinder

## Cast Cylinder Covers



Our high security stainless steel cylinder cover ensures the cylinder is protected and it has been designed to fit perfectly with our HOOPLY™ handle range.

## Stainless Steel Handles



Our security upgrade handles are made from heavy duty stainless steel material making them robust & long lasting. In addition, these genuine HOOPLY™ handles feature an anti drill euro cylinder cover.

## 3\* Kitemark Cylinder



Our 3\* Kitemark Cylinder has enhanced security features and has anti tilt technology blocking access to the bolt during an attack.



Anti-Snap



Anti-Drill



Anti-Bump



Anti-Pick

## Additional Upgrades



## Drop Bar Kit

For additional security you can add a drop-bar kit. This kit consists of 4-8 brackets (colour matched to your door), 2 drop bars (Traffic Yellow) and fixings. Easy to fit, they are suitable for both inward or outward opening doors.



## Security Trim

The security trim will protect your property as well as give it a professional finished look. This kit is fast and easy to fit, protects your fixings from attack and eliminates the risk of tampering.



## Tower Bolt

Our heavy duty tower bolt has been designed for use on fire escape doors to complement the EXIDOR™ panic furniture. These add an extra level of security to your door by bolting into the frame.





# **LATHAM'S<sup>®</sup>**

STEEL SECURITY DOORSETS



35/37 Hainge Road, Tividale, Oldbury,  
West Midlands, B69 2NY



01384 220050



[sales@lathamssteeldoors.co.uk](mailto:sales@lathamssteeldoors.co.uk)



[www.lathamssteeldoors.co.uk](http://www.lathamssteeldoors.co.uk)

