

Certificate of Constancy of Performance

1121-CPR-UK-MA7000

In compliance with Construction Products Regulation 2011 (retained EU law EUR 2011/305) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, this certificate applies to the Construction Product:

Fire Rated Security Panelled Steel Door

Product: External Pedestrian Doorsets Covered by EN 14351-1

Intended use: Fire compartmentation and/or escape routes

Essential characteristics	Performance	Designated technical specification
Resistance to Fire ¹	El ₂ 15 / E120 / EW120	EN 16034: 2014
Smoke control (only for applications where limitation of smoke spread is required)	NPD	
Ability to release	NPD	
Self Closing (only for self closing fire resistance and/or smoke control doorsets and/or openable windows) ²	C	
Durability of ability to release	NPD	
Durability of self-closing	NPD	

The following documentation has been used in support of the essential characteristics performance stated above:

1. Classification referenced WF Report No. 505748 – Issue 2
2. Test referenced WF Report No. 410059 – Issue 2, Classification referenced WF Report No. 505748 – Issue 2

Certificate of Constancy of Performance

1121-CPR-UK-MA7000

produced for

**Latham's Security Doorsets LTD
35/37 Hainge Road
Tividale
West Midlands
B69 2NY
United Kingdom**

and produced in the manufacturing plant

CKV13302-1

This is coded format and the information is held by the Approved Body

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 16034: 2014

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **24/08/2021** and re-issued on **17/04/2025** and will remain valid until the date given below as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

UKCA certificate valid to: **22/08/2027**



0087

A handwritten signature in black ink, appearing to read 'Paul Duggan'.

Paul Duggan
Certification Manager

**Warringtonfire Testing and Certification Limited
Unit 722, The Quadrant, Birchwood Park, Warrington, WA3 6FW, UK**