

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-MA7783**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product.

### Fire Exit Doorsets

Intended use: **External pedestrian panic/emergency exit doorsets.**

| Essential characteristics | Performance        | Harmonised technical specification |
|---------------------------|--------------------|------------------------------------|
| Ability to Release        | EN 1125<br>EN 1935 | EN 14351-1: 2006<br>+A2:2016       |

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-MA7783**

Placed on the market under the name of:

**Latham's Security Doorsets Ltd  
35/37 Hainge Road  
Tividale  
West Midlands  
B69 2NY  
United Kingdom**

and produced in the manufacturing plant:

**E/353 & J/216**

**This is coded format, and the information is held by the Notified Body.**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard:

**EN 14351-1:2006 + A2:2016**

Under System 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **29/09/2023** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

CE Marking certificate valid to: **28/09/2026**

ERO Project Reference: **ERO 034621 P2135**



**Pascal Coget  
General Manager - European Certification**

CSF408-NL 8.0

**Certificate of Constancy of Performance****2812-CPR-MA7783****Ann  
ex A****Approved Hinges EN 1935**

| <b>Certificate of Constancy of Performance</b> | <b>Product Description</b>                       |
|--|--|
| 2812-CPR-AC7868                                | Latham's Security Doorsets Limited<br>70mm hinge |
| 2812-CPR-AC7869                                | Latham's Security Doorsets Limited<br>50mm hinge |

**Approved Exit Devices EN 1125**

| <b>Certificate of Constancy of Performance</b> | <b>Product Description</b>  |
|--|---|
| 2812-CPR-AAA019                                | Assa Abloy<br>Exidor 284, 285, 294, 296, 308, 309, 311, 316, 317 panic exit devices |