

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-MA7784**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product.

### Security Fire Exit Doorsets

**Intended use: External pedestrian panic/emergency exit doorsets**

| Essential characteristics | Performance        | Harmonised technical specification |
|---------------------------|--------------------|------------------------------------|
| Ability to Release        | EN 1125<br>EN 1935 | EN 14351-1: 2006<br>+A2:2016       |

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-MA7784**

Placed on the market under the name of:

**LATHAM'S SECURITY DOORSETS LTD  
35/37 HAINGE ROAD  
TIVIDALE  
WEST MIDLANDS  
B69 2NY  
UNITED KINGDOM**

and produced in the manufacturing plant:

**CKV13302-1 & CKV13302-2**

**This is coded format, and the information is held by the Notified Body.**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard:

**EN 14351-1:2006 + A2:2016**

Under System 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **29/09/2023** and reissued **17/09/2026** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

CE Marking certificate valid to: **28/09/2029**

ERO Project Reference: **ERO 034621 P3304**



Paul Duggan  
Certification Manager

CSF408-NL 8.0

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-MA7784**

### Annex A

#### Approved Hinges EN 1935

| Certificate of Constancy of Performance | Product Description                                         |
|-----------------------------------------|-------------------------------------------------------------|
| 2812-CPR-AC7868                         | <b>Latham's Security Doorsets Limited</b><br>70mm hinge     |
| 2812-CPR-AC7869                         | <b>Latham's Security Doorsets Limited</b><br>50mm hinge     |
| 264—CPR-26002601                        | <b>ECO Schulte GmbH &amp; Co. KG</b><br>OBN-14-4039-C hinge |

#### Approved Exit Devices EN 1125

| Certificate of Constancy of Performance | Product Description                                                                                |
|-----------------------------------------|----------------------------------------------------------------------------------------------------|
| 2812-CPR-AAA0019                        | <b>Assa Abloy Limited</b><br>Exidor 284, 285, 294, 296, 308, 309, 311, 316, 317 panic exit devices |
| 2812-CPR-AAA0024                        | <b>Assa Abloy Limited</b><br>Exidor 701 702 703 704 742BD 743BD Panic Exit Devices                 |
| 2812-CPR-AAA5013                        | <b>Tindall Engineering Ltd</b><br>Mico Modula Lock with Cross Bar Panic Exit Devices               |
| 2812-CPR-AAA7822                        | <b>Tindall Engineering Ltd</b><br>Mico Elite Lock with Bar Panic Exit Devices                      |
| 2812-CPR-AAA10160                       | <b>Tindall Engineering Ltd</b><br>Mico MSR Cross Bar Panic Exit Devices                            |
| 0432-CPR-00099-02                       | <b>Eco Schulte GmbH &amp; Co. KG</b><br>ECO Panic Exit Devices                                     |
| 0497-CPR-6210                           | <b>ISEO Serrature S.p.A</b><br>Idea-Base Series Exit Devices                                       |

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-MA7784**

### Annex A (continued)

#### Approved Exit Devices EN 179

| Certificate of Constancy of Performance | Product Description                                                                         |
|-----------------------------------------|---------------------------------------------------------------------------------------------|
| 0432-CPR-00099-01                       | <b>Eco Schulte GmbH &amp; Co. KG</b><br>ECO Emergency Exit Devices                          |
| 2812-CPR-ABB5025                        | <b>Tindall Engineering Ltd</b><br>Mico Modula Lock with Push Pad Emergency Exit Devices     |
| 2812-CPR-ABB5026                        | <b>Tindall Engineering Ltd</b><br>Mico Modula Lock with Lever Handle Emergency Exit Devices |
| 2812-CPR-ABB7855                        | <b>Tindall Engineering Ltd</b><br>Mico MSR Push Pad Emergency Exit Devices                  |
| 2812-CPR-ABB7856                        | <b>Tindall Engineering Ltd</b><br>Mico MSR Lever Handle Emergency Exit Devices              |
| 2812-CPR-ABB7860                        | <b>Tindall Engineering Ltd</b><br>Mico Elite Lock with Push Pad Emergency Exit Devices      |
| 2812-CPR-ABB7860                        | <b>Tindall Engineering Ltd</b><br>Mico Elite Lock with Lever Handle Emergency Exit Devices  |